



## STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Single Rub Rail
- Bow Eye
- Aluminum Davit Lifting Points
- Removable Rowing Seat
- Oarlock Base with Oarlocks
- 820 Orca (CSM) Coated Fabric
- Seadek ® Eva Foam Non-Skid Floor
- Tow Rings
- 3 Layers Reinforced Seams
- Heavy Duty Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual



## OPTIONAL FEATURES

- Bow Locker /Seat with Vent & Storage
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Color Boat Customization
- Seadek ® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	8' 5"	2.56 M
OVERALL BEAM	4' 9"	1.45 M
INSIDE LENGTH	5' 10"	1.79 M
INSIDE BEAM	2'	0.62 M
TUBE DIAMETER	16"	0.41 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	4	4
WEIGHT	86 LBS	39 KG
WEIGHT WITH BOW LOCKER	99 LBS	45 KG
MAXIMUM HP	6 HP	4.5 KW
SHAFT LENGTH	15"	38.1 CM
RDC DESIGN CATEGORY	C	C



## STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Single Rub Rail
- Bow Eye
- Aluminum Davit Lifting Points
- Removable Rowing Seat
- Oarlock Base with Oarlocks
- 820 Orca (CSM) Coated Fabric
- Seadek ® Eva Foam Non-Skid Floor
- Tow Rings
- 3 Layers Reinforced Seams
- Heavy Duty Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual



## OPTIONAL FEATURES

- Bow Locker /Seat with Vent & Storage to Fit a 3 Gal Portable Fuel Tank
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Color Boat Customization
- Seadek ® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	9' 1"	2.76 M
OVERALL BEAM	4' 9"	1.45 M
INSIDE LENGTH	6' 3"	1.90 M
INSIDE BEAM	2' 2"	0.66 M
TUBE DIAMETER	16"	0.41 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	4	4
WEIGHT	90 LBS	41 KG
WEIGHT WITH BOW LOCKER	106 LBS	48 KG
MAXIMUM HP	7.5 HP	15 KW
SHAFT LENGTH	15"	38.1 CM
RDC DESIGN CATEGORY	C	C

## STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Single Rub Rail
- Bow Eye
- Aluminum Davit Lifting Points
- Removable Rowing Seat
- Oarlock Base with Oarlocks
- 820 Orca (CSM) Coated Fabric
- Seadek ® Eva Foam Non-Skid Floor
- Tow Rings
- 3 Layers Reinforced Seams
- Heavy Duty Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual



## OPTIONAL FEATURES

- Bow Locker/Seat with Vent & Storage to Fit a 6-Gal Portable Fuel Tank
- Portable 6-Gal Fuel Tank Installed With Fittings" Bow Locker
- Fiberglass Console
- Fiberglass Console with Forward Seat
- Fiberglass Console with Lateral Seat
- One Person Jockey Seat
- Two Person Jockey Seat
- Bench Seat with Storage
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Mechanical Steering System
- Hydraulic Steering System
- Standard Rigging From Factory
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Color Boat Customization
- Seadek ® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	9' 6"	2.90 M
OVERALL BEAM	5' 6"	1.68 M
INSIDE LENGTH	6' 11"	2.11 M
INSIDE BEAM	2' 6"	0.76 M
TUBE DIAMETER	17"	0.43 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	5	5
WEIGHT	110 LBS	50 KG
WEIGHT WITH BOW LOCKER	128 LBS	58 KG
MAXIMUM HP	15 HP	11.2 KW
SHAFT LENGTH	15"	38.1 CM
RDC DESIGN CATEGORY	C	C

## STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Single Rub Rail
- Bow Eye
- Aluminum Davit Lifting Points
- Removable Rowing Seat
- Oarlock Base with Oarlocks
- 820 Orca (CSM) Coated Fabric
- Seadek ® Eva Foam Non-Skid Floor
- Tow Rings
- 3 Layers Reinforced Seams
- Heavy Duty Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual



## OPTIONAL FEATURES

- Bow Locker/Seat with Vent & Storage to Fit a 6-Gal Portable Fuel Tank
- Portable 6-Gal Fuel Tank Installed With Fittings" Bow Locker
- Fiberglass Console
- Fiberglass Console with Forward Seat
- Fiberglass Console with Lateral Seat
- One Person Jockey Seat
- Two Person Jockey Seat
- Bench Seat with Storage
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Mechanical Steering System
- Hydraulic Steering System
- Standard Rigging From Factory
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Color Boat Customization
- Seadek ® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	10' 6"	3.19 M
OVERALL BEAM	5' 6"	1.68 M
INSIDE LENGTH	7' 6"	2.30 M
INSIDE BEAM	2' 8"	0.81 M
TUBE DIAMETER	17"	0.43 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	5	5
WEIGHT	126 LBS	57 KG
WEIGHT WITH BOW LOCKER	143 LBS	65 KG
MAXIMUM HP	20 HP	14.9 KW
SHAFT LENGTH	15"	38.1 CM
RDC DESIGN CATEGORY	C	C



## STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Single Rub Rail
- Bow Eye
- Aluminum Davit Lifting Points
- Removable Seat
- Orca (CSM) Coated Fabric
- Seadek ® Eva Foam Non-Skid Floor
- Tow Rings
- 3 Layers Reinforced Seams
- Rubber Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual



## OPTIONAL FEATURES

- Bow Locker/Seat with Vent & Storage to Fit a 6-Gal Portable Fuel Tank
- Portable 6-Gal Fuel Tank Installed With Fittings" Bow Locker
- Fiberglass Console
- Fiberglass Console with Forward Seat
- Fiberglass Console with Lateral Seat
- One Person Jockey Seat
- Two Person Jockey Seat
- Bench Seat with Storage
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Mechanical Steering System
- Hydraulic Steering System
- Standard Rigging From Factory
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Color Boat Customization
- Seadek ® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	11' 6"	3.50 M
OVERALL BEAM	5' 7"	1.70 M
INSIDE LENGTH	8' 6"	2.60 M
INSIDE BEAM	2' 8"	0.81 M
TUBE DIAMETER	17"	0.43 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	6	6
WEIGHT	170 LBS	77 KG
WEIGHT WITH BOW LOCKER	187 LBS	85 KG
MAXIMUM HP	30 HP	22.4 KW
SHAFT LENGTH	20"	50.8 CM
RDC DESIGN CATEGORY	C	C

## STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Single Rub Rail
- Bow Eye
- Aluminum Davit Lifting Points
- Orca (CSM) Coated Fabric
- Removable Seat
- Seadek ® Eva Foam Non-Skid Floor
- Tow Rings
- 3 Layers Reinforced Seams
- Rubber Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual



## OPTIONAL FEATURES

- Bow Locker/Seat with Vent & Storage to Fit a 6-Gal Portable Fuel Tank
- Portable 6-Gal Fuel Tank Installed With Fittings" Bow Locker
- Fiberglass Console
- Fiberglass Console with Forward Seat
- Fiberglass Console with Lateral Seat
- One Person Jockey Seat
- Two Person Jockey Seat
- Bench Seat with Storage
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Mechanical Steering System
- Hydraulic Steering System
- Standard Rigging From Factory
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Color Boat Customization
- Seadek ® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	12'	3.66 M
OVERALL BEAM	6' 1"	1.85 M
INSIDE LENGTH	8' 10"	2.70 M
INSIDE BEAM	2' 11"	0.89 M
TUBE DIAMETER	18"	0.46 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	6	6
WEIGHT	198 LBS	90 KG
WEIGHT WITH BOW LOCKER	216 LBS	98 KG
MAXIMUM HP	30 HP	22.4 KW
SHAFT LENGTH	20"	50.8 CM
RDC DESIGN CATEGORY	C	C

## STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Solid Double Rub Rail
- Bow Eye
- Aluminum Davit Lifting Points
- Orca (CSM) Coated Fabric
- Removable Seat
- Seadek ® Eva Foam Non-Skid Floor
- Tow Rings
- 3 Layers Reinforced Seams
- Rubber Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual



## OPTIONAL FEATURES

- Bow Locker/Seat with Vent & Storage to Fit a 6-Gal Portable Fuel Tank
- Portable 6-Gal Fuel Tank Installed With Fittings" Bow Locker
- Fiberglass Console
- Fiberglass Console with Forward Seat
- Fiberglass Console with Lateral Seat
- One Person Jockey Seat
- Two Person Jockey Seat
- Bench Seat with Storage
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Mechanical Steering System
- Hydraulic Steering System
- Standard Rigging From Factory
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Color Boat Customization
- Seadek ® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	13'	3.96 M
OVERALL BEAM	6' 7"	2.00 M
INSIDE LENGTH	9' 10"	3.00 M
INSIDE BEAM	3' 3"	0.99 M
TUBE DIAMETER	18"	0.46 M
NUMBER OF CHAMBERS	3	3
PERSON CAPACITY	7	7
WEIGHT	242 LBS	110 KG
WEIGHT WITH BOW LOCKER	264 LBS	120 KG
MAXIMUM HP	40 HP	29.8 KW
SHAFT LENGTH	20"	50.8 CM
RDC DESIGN CATEGORY	C	C

## STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Solid Double Rub Rail
- Bow Eye
- Aluminum Davit Lifting Points
- Orca (CSM) Coated Fabric
- Removable Seat
- Seadek ® Eva Foam Non-Skid Floor
- Tow Rings
- 3 Layers Reinforced Seams
- Rubber Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual



## OPTIONAL FEATURES

- Bow Locker/Seat with Vent & Storage to Fit a 6-Gal Portable Fuel Tank
- Portable 6-Gal Fuel Tank Installed With Fittings" Bow Locker
- Fiberglass Console
- Fiberglass Console with Forward Seat
- Fiberglass Console with Lateral Seat
- One Person Jockey Seat
- Two Person Jockey Seat
- Bench Seat with Storage
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Mechanical Steering System
- Hydraulic Steering System
- Standard Rigging From Factory
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Color Boat Customization
- Seadek ® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	14'	4.27 M
OVERALL BEAM	6' 7"	2.00 M
INSIDE LENGTH	10' 10"	3.30 M
INSIDE BEAM	3' 3"	0.99 M
TUBE DIAMETER	19"	0.48 M
NUMBER OF CHAMBERS	4	4
PERSON CAPACITY	8	8
WEIGHT	256 LBS	116 KG
WEIGHT WITH BOW LOCKER	282 LBS	128 KG
MAXIMUM HP	50 HP	37.3 KW
SHAFT LENGTH	20"	50.8 CM
RDC DESIGN CATEGORY	C	C

## STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Solid Double Rub Rail
- Bow Eye
- Aluminum Davit Lifting Points
- Orca (CSM) Coated Fabric
- Removable Seat
- Seadek ® Eva Foam Non-Skid Floor
- Tow Rings
- 3 Layers Reinforced Seams
- Rubber Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual



## OPTIONAL FEATURES

- Bow Locker/Seat with Vent & Storage to Fit a 6-Gal Portable Fuel Tank
- Portable 6-Gal Fuel Tank Installed With Fittings" Bow Locker
- Optional Integrated Aluminum Fuel Tank
- Fiberglass Console
- Fiberglass Console with Forward Seat
- Fiberglass Console with Lateral Seat
- One Person Jockey Seat
- Two Person Jockey Seat
- Bench Seat with Storage
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Mechanical Steering System
- Hydraulic Steering System
- Standard Rigging From Factory
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Color Boat Customization
- Seadek ® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	15'	4.57 M
OVERALL BEAM	6' 9"	2.06 M
INSIDE LENGTH	11' 8"	3.55 M
INSIDE BEAM	3' 4"	1.03 M
TUBE DIAMETER	19"	0.48 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	9	9
WEIGHT	348 LBS	158 KG
WEIGHT WITH BOW LOCKER	377 LBS	171 KG
MAXIMUM HP	60 HP	44.8 KW
SHAFT LENGTH	20"	50.8 CM
RDC DESIGN CATEGORY	C	C

## STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free - Advanced Pretreatment and Powder Coating Technology
- Solid Double Rub Rail
- Bow Eye
- Aluminum Davit Lifting Points
- Orca (CSM) Coated Fabric
- Removable Seat
- Seadek ® Eva Foam Non-Skid Floor
- Tow Rings
- 3 Layers Reinforced Seams
- Rubber Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual



## OPTIONAL FEATURES

- Bow Locker/Seat with Vent & Storage to Fit a 6-Gal Portable Fuel Tank
- Portable 6-Gal Fuel Tank Installed With Fittings" Bow Locker
- Optional Integrated Aluminum Fuel Tank
- Fiberglass Console
- Fiberglass Console with Forward Seat
- Fiberglass Console with Lateral Seat
- One Person Jockey Seat
- Two Person Jockey Seat
- Bench Seat with Storage
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Mechanical Steering System
- Hydraulic Steering System
- Standard Rigging From Factory
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Color Boat Customization
- Seadek ® Foam Teak (Grey or Mocca)

SPECIFICATION	IMPERIAL	METRIC
OVERALL LENGTH	16'	4.88 M
OVERALL BEAM	7'	2.14 M
INSIDE LENGTH	13' 2"	4.00 M
INSIDE BEAM	3' 6"	1.08 M
TUBE DIAMETER	20"	0.51 M
NUMBER OF CHAMBERS	5	5
PERSON CAPACITY	10	10
WEIGHT	390 LBS	177 KG
WEIGHT WITH BOW LOCKER	421 LBS	191 KG
MAXIMUM HP	70 HP	52.2 KW
SHAFT LENGTH	20"	50.8 CM
RDC DESIGN CATEGORY	C	C