

CHASE THE HORIZON



YEARS OF INNOVATION AND CRAFTSMANSHIP



MORE THAN A DECADE AGO WE PROMISED TO BUILD THE BEST BOATS IN THE WORLD.

WE'VE KEPT OUR PROMISE.

Our company was founded on a commitment to quality that guides us to this day. We are the only company in the world that manufactures its boats exclusively in-house, overseeing every aspect from start to finish, meeting or exceeding certified industry benchmarks and the standards for most globally recognized organizations. We keep meticulous records so there are never any surprises. Our ever-evolving quality-control measures ensure we always live up to our promise to build the best boats in the world.

DESIRABLE





REMARKABLE

DESIGNED TO GO THE DISTANCE



Audits

In our mission to deliver the highest-quality products to our customers, AB Inflatables submits the entire manufacturing processes to rigorous evaluations by third-party auditors. This means building under the strict surveillance of our quality certifications - NMMA for the USA, CE for Europe and ISO 9001 quality standards.



Traceability

Every boat we build comes with a unique history report that documents when it was made and the materials used. This quality-control system has helped us improve our production procedures and make significant product improvements throughout more than 50 years in business.



Innovation and Craftsmanship

AB Inflatables produces a full line of inflatable boats with the exceptional quality our customers have come to expect. Even the smallest details are handled with care. Everything we make is 100% handcrafted in-house, including the hull, tubes, rigging and inboard engine installations.



CHASE THE HORIZON



Born in 1969, AB Inflatables have over 50 years of non-stop production. Today, We are proud to say that our products have touched almost every corner of the globe and have earned the trust of thousands of customers.

Our vast network of representatives worldwide provides quick responses with a personal touch. We select companies known for their technical expertise, commitment to quality work and superior customer service. Customers will be backed up around the world with a high sense of collaboration through our network partners.

Our superior rigid inflatable boats (RIBs), manufactured with the highest quality materials and attention to detail, are recognized and admired worldwide. Designed for recreational use, commercial operations and jet segments, they are available in over 80 models.

Every AB model has a unique forward hull design that creates a raised bow and enhances performance by enabling easier planing with less horsepower. This allows the boat to cut through wakes and chop, virtually eliminating spray. The result is a smoother, more stable, and drier ride than any other inflatable boat on the market.



ABJET

JET TENDERS



ABJET 430



INNOVATION, PERFORMANCE, COMFORT & STYLE | POWERED BY BRP ROTAX® ENGINE (OEM) | 100% BUILT IN-HOUSE
 INNOVATIVE DESIGN MAXIMIZES WEIGHT DISTRIBUTION | OPTIMIZED OVERALL PERSON CAPACITY | INTERNATIONAL SERVICE COVERAGE & WARRANTY

STANDARD FEATURES

- Integrated Marine Grade Aluminum Fuel Tank (gal.10 / 290,330) ; (gal.11 / 350,390) ; (gal.16 / 380,430) ; (gal.26 / 465)
- Diamond Non-Skid Deck
- Rear Seat with Ample Storage (290,330,380)
- Dual Rear Seat (350,390-465)
- Fully Upholstered Seating-Spradling®
- Console with Forward Seat (290,330)
- Console with Forward Seat and Storage (380)
- Integrated Bow Locker (330-465)
- Easy Port & Starboard Access
- Stainless Steel Port/Starboard Hand Rails (290,330,380)
- Integrated Stainless Steel Stern Hand Rails (350,390-465)
- Ample Engine Access
- Stainless Steel Bow Eye
- Fiberglass Bow Step with cushion, navigation lights and SS cleat (380-465)
- 2 Stern Stainless Steel Foldable Cleats
- (3) Stainless Steel Davit Lifting Points (290,350,390-465) ; (4) (330,380)
- Stainless Steel Ski-Eye & Stern Hand Rail (290,330,380)
- Stainless Steel Removable Ski-Pole & Stern Hand Rail (350, 390-465)
- Stainless Steel Transom Tie Downs
- Battery Box
- (2) Recessed Cup Holders (290,330,465) ; (1) (350,390,430) ; (3) (380)
- Water Tight Engine Compartment Seal
- Built-In Cooler with Drain (390-465)
- Removable lateral seat (350,390)
- INR - Intelligent Neutral and Reverse System (465)
- Orca® (CSM) Fabric
- Non-Corrosive Push-Push Inflation Valves
- (Single) Solid Rub Rail (290-390) ; (Double) (430,465)
- Reinforced External Seams
- Orca® (CSM) Fabric Handles on Tubes (330-465)
- Self Bailing Deck System with Non-Return Valves
- Stainless Steel Drain Plugs
- Automatic Fire Extinguisher
- Safety Lanyard Switch
- Automatic 500 GPH Bilge Pump
- Removable Pole Led Navigation & Anchor Light (290-350)
- Stainless Steel Led Navigation Light (380-465)
- Removable Pole Led Anchor Light (380-465)
- Power Reduction Key to 120HP (380-430)
- Battery Switch
- Maintenance-Free Battery
- Engine Compartment In-Line Blower
- Sport Steering Wheel (290,330,380)
- Sport Adjustable Steering Wheel (350,390-465)
- Steering System
- Complete Tin Wiring & (head) Heat Shrink Seal Terminals
- Control Panel (Includes fuel gauge)
- Shift Control (290-430) ; Electronic Shift Control (465)
- Stainless Steel Gas Springs for Engine Compartment
- Under Platform Sliding SS Ladder
- Hand Pump & Maintenance Kit
- Owner's Manual
- Rotax® ACE 90 ECT (290-350)
- Rotax® ACE 170 ECT (380-465)
- Catalytic Exhaust System
- Muffler & Silencer

OPTIONAL FEATURES

- Synthetic Teak
- Boat Cover
- Sunbed (430,465)
- Stereo System & Compass
- GPS Chart Plotter / Sounder
- Stainless Steel Tie Downs
- Quick Release Wheel
- Bimini Kit (350-465)
- Stainless Steel Anchor
- Name on Upholstery
- LED Courtesy Lights
- Battery Charger
- VHF & Antenna
- Upholstery and Inflatable Tube Color Options
- Adjustable Steering Wheel (290,330,380)
- Fiberglass Bow Step with SS cleat and navigation lights (290)
- Fiberglass Bow Step with cushion, navigation lights and SS cleat (330,350)

8 MODELS FROM 9-15 FEET	ABJET 290	ABJET 330	ABJET 350 XP	ABJET 380	ABJET 390	ABJET 430 XP	ABJET 465 XP
LENGTH	9'6" (2.9 M)	10'10" (3.3 M)	11'3.5" (3.44 M)	12'8" (3.86 M)	12'9.5" (3.9 M)	14'3" (4.35 M)	15' (4.56 M)
BEAM	5'7" (1.7 M)	5'8" (1.72 M)	5'10" (1.78 M)	5'10" (1.78 M)	5'11" (1.8 M)	6'4" (1.94 M)	6'7" (2.01 M)
INSIDE LENGTH	7' (2.13 M)	8'1" (2.45 M)	9'8" (2.95 M)	10'2" (3.1 M)	10'08" (3.25 M)	12' (3.64 M)	13' (3.96 M)
INSIDE BEAM	2'9" (0.84 M)	2'9" (0.84 M)	2'10" (0.86 M)	2'11" (0.89 M)	3' (0.91 M)	3'3" (0.99 M)	3'4" (1.01 M)
TUBE DIAMETER	16" (0.41 M)	16" (0.41 M)	16" (0.41 M)	17" (0.43 M)	17" (0.43 M)	18" (0.46 M)	18" (0.46 M)
CAPACITY PERSONS	4	5	5	6	7	7	8
WEIGHT	683 LBS (310 KG)	728 LBS (330 KG)	761 LBS (345 KG)	882 LBS (400 KG)	959 LBS (435 KG)	1102 LBS (500 KG)	1257 LBS (570 KG)
MAXIMUM HP	90	90	90	170	170	170	170

ABJET 450

DIESEL JET TENDERS



ABJET DIESEL 450



POWER, PERFORMANCE, COMFORT & LUXURY | POWERED BY YANMAR DIESEL ENGINE (OEM) | 100% BUILT IN-HOUSE
 INNOVATIVE DESIGN, UNMATCHED ERGONOMICS | INTERNATIONAL SERVICE COVERAGE & WARRANTY

STANDARD FEATURES

- Integrated Marine Grade Aluminum Fuel Tank (gal.19)
- Diamond Non-Skid Deck
- Dual Pilot Seat
- Anodized Aluminum Retractable Armrests
- Fully Upholstered Seating-Spradling®
- Rear Seat with Ample Storage
- Integrated Bow Locker
- Easy Port & Starboard Access
- Integrated Stainless Steel Stern Rails
- Ample Engine Access
- Stainless Steel Bow Eye
- Fiberglass Bow Step with Cushion, Navigation Lights and SS Cleat
- 2 Stern Stainless Steel Foldable Cleats
- 3 Stainless Steel Davit Lifting Points
- Stainless Steel Removable Ski-Pole & Stern Hand Rail
- Stainless Steel Transom Tie Downs
- Battery Box
- 3 Recessed Cup Holders
- Water Tight Engine Compartment Seal
- Boarding Pole & Sockets (port and starboard)
- Folding Helm Console with Windshield
- 828 Orca® (CSM) Fabric
- Non-Corrosive Push-Push Inflation Valves
- Double Solid Rub Rail
- Reinforced External Seams
- Orca® (CSM) Fabric Handles on Tubes
- Self Bailing Deck System with Non-Return Valves
- Stainless Steel Drain Plugs
- Automatic Fire Extinguisher
- Safety Lanyard Switch
- Automatic 750 GPH Bilge Pump
- Removable Pole Led Anchor Light
- Yanmar YD42 Digital Gauge
- Battery Switch
- Maintenance-Free Battery
- Engine Compartment In-Line Blower
- Stylish Adjustable Steering Wheel
- Quick Release Wheel
- Hydraulic Steering System
- Complete Tin Wiring & (head) Heat Shrink Seal Terminals
- Single Lever Throttle with Electronic Control
- Stainless Steel Gas Springs for Engine Compartment
- Under Platform Sliding SS Ladder
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Yanmar 4JH110
- Turbocharged
- Silencer



OPTIONAL FEATURES

- Synthetic Teak
- Boat Cover
- Fresh Water Shower System
- Raymarine Axiom 7 - (7" Touch Screen Multifunction Display)
- Stainless Steel Tie Downs
- Bimini Kit
- Stainless Steel Anchor
- Name on Upholstery
- Name on Tubes
- LED Courtesy Lights
- Battery Charger
- Twin Battery Installation
- VHF & Antenna
- Upholstery and Inflatable Tube Color Options
- Single Point Lift

1 MODEL • 15 FEET

ABJET DIESEL 450



LENGTH	14'8" (4.47 M)
BEAM	6'8" (2.03 M)
INSIDE LENGTH	13'4" (4.06 M)
INSIDE BEAM	2'9" (1.1 M)
TUBE DIAMETER	16.5" (0.42 M)
CAPACITY PERSONS	7
WEIGHT	1,841 LBS (835 KG)
MAXIMUM HP	110
SHAFT LENGTH	N/A

NAUTILUS DLX

LUXURY CONSOLE TENDERS



NAUTILUS 17 DLX



PRESITIGIOUS YACHT TENDER | FULL FEATURED AND WELL-APPOINTED
COMFORTABLE, BUILT-IN, UPHOLSTERED SEATING | GRACEFUL LINES AND ELEGANT STYLING
BUILT-IN COOLERS AND AMPLE STORAGE | BUILT-IN MARINE GRADE ALUMINUM FUEL TANK

STANDARD FEATURES

- Mechanical steering system & Sport Steering Wheel (11-13)
- Hydraulic Steering System & Sport Steering Wheel (14-19)
- Standard Rigging from Factory
- Height Adjustable Steering Wheel (11, 12, 13, 17 & 19)
- 12V DC Socket & USB-C Port
- Stainless Steel Gas Springs
- Automatic Bilge Pump
- Master Switch
- Battery Charger (Subject to Country of Delivery)
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- LED Courtesy Lights
- SS LED Navigation Light
- All Around LED Anchor Light
- Stainless Steel Bow Eye
- Bow Step
- Integrated Stainless Steel Bow rails
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating-Spradling™
- Under-Seat Storage Compartments
- Built-in Cooler with Drain
- SS Cupholders & Plexiglass Windshield (11-17)
- 3 Stainless Steel Fold Down Cleats
- 3 Stainless Steel Davit Lifting Points
- Molded-in Fiberglass Rear Seat, Console & Seats
- Integrated Aluminum Fuel Tank
- Fresh Water System (14-19)
- Solid Double Rub Rail (13-19)
- Sunbathing Bed (17 & 19)
- Stainless Steel Tie Down Eyes
- Stainless Steel Tow Rings
- 3-Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Removable Lateral Seat (11 & 12)
- Transom Ladder (13-15)
- Stem Recessed Foldable Ladder (17)

OPTIONAL FEATURES

- Sunbathing Bed (15)
- Height Adjustable Steering Wheel (14 & 15)
- Flip-Up Seat (13 to 19)
- Light Arch
- Bimini Top
- Synthetic Teak Floor
- Seadek™ Foam Teak (Grey or Mocca)
- Compass
- Stereo System
- VHF Radio
- Rod Holders
- Stainless Steel Ski Tow (12 to 19)
- Cover
- Check Seat
- Console Cover
- Lifting Harness
- Color Boat Customization

8 MODELS FROM 11 TO 19 FEET	11 DLX	12 DLX	13 DLX	14 DLX	15 DLX	17 DLX	19 DLX	19 DLX-I/O
								
LENGTH	11' (3.35 M)	12' (3.66 M)	13' (3.96 M)	14' (4.27 M)	15' (4.57 M)	17' (5.18 M)	19' (5.79 M)	19' (5.79 M)
BEAM	6' (1.82 M)	6' (1.82 M)	6'5" (1.95 M)	6'6" (1.98 M)	6'9" (2.05 M)	8'1" (2.46 M)	8'4" (2.54 M)	8'4" (2.54 M)
INSIDE LENGTH	8' (2.44 M)	9'2" (2.79 M)	9'9" (2.97 M)	10'10" (3.30 M)	11'6" (3.50 M)	13'1" (4 M)	15'4" (4.67 M)	15'4" (4.67 M)
INSIDE BEAM	2'10" (0.86 M)	2'10" (0.86 M)	3'1" (0.94 M)	3'1" (0.94 M)	3'2" (0.97 M)	4'5" (1.35 M)	4'5" (1.35 M)	4'5" (1.35 M)
TUBE DIAMETER	17" (0.43 M)	17" (0.43 M)	18" (0.46 M)	19" (0.48 M)	19" (0.48 M)	20" (0.51 M)	22" (0.56 M)	22" (0.56 M)
CAPACITY PERSONS	4	5	5	6	6	10	12	10
WEIGHT	456 LBS (207 KG)	515 LBS (234 KG)	612 LBS (278 KG)	730 LBS (332 KG)	764 LBS (348 KG)	1250 LBS (568 KG)	1639 LBS (745 KG)	1551 LBS (705 KG)
RECOMMENDED HP	30	40	40	50	60	90	115	150
MAXIMUM HP	40	50	60	70	75	115	150	220

OCEANUS VST

FIBERGLASS CONSOLE TENDERS



OCEANUS 19 VST



FIBERGLASS SPORT CONSOLE RIB | OPEN AND SPACIOUS DESIGN | IDEAL FOR DIVING AND FISHING
LARGE CAPACITY FOR CREW AND EQUIPMENT | PRIMARY BOAT OR YACHT TENDER

STANDARD FEATURES

- Mechanical Steering System (12-15)
- Hydraulic Steering System (17-28)
- Standard Rigging from Factory
- Height Adjustable Steering Wheel (17 FE Version & Z8)
- SS CUPHOLDERS (Except 17 BE version)
- 12V DC Socket & USB-C Port (17-28)
- Stainless Steel Gas Springs
- LED Courtesy Lights (17 FE Version, 19-28)
- SS LED Navigation Light
- All-Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Battery Charger (17 FE Version, 19-28) (Subject to Country of Delivery)
- Fuel/Water Separator & Canister
- Fuel Sending Unit
- Stainless Steel Bow Eye
- Bow Step with Cushion
- Stainless Steel Grab Handles on Tubes (Except 17 BE Version, Z1-Z8)
- Bow Locker with Cushioned Seating
- Fully Upholstered Seating-Spradling*
- Under Seat Storage Compartments
- 3 Stainless Steel Fold Down Cleats
- 4 Stainless Steel Davit Lifting Points (Except Z1-Z8)
- Fiberglass Console with & Grab Rail (12 VST)
- Fiberglass console with Windshield, Grab Rail & Forward Seat (13-17)
- Molded-In Rear Seat with Ample Storage
- Leaning Bolster (19-28)
- Integrated Aluminum Fuel Tank
- Fresh Water System (17 FE Version, 19-28)
- Bow Rider Seats (Z1 & Z4)
- Stern Recessed Foldable Ladder (17 & Z1)
- Stern Foldable Ladder (19)
- Solid Single Rub Rail (12)
- Solid Double Rub Rail (13-28)
- Stainless Steel Tow Rings
- 3-Layer Reinforced Seams
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles on Tubes
- Hand Pump
- Maintenance Kit
- Owner's Manual

OPTIONAL FEATURES

- Bow Rider Seats (17 & Z8)
- Sunbathing Bed (17 & Z1)
- Light Arch
- Bimini Top
- T-Top (19-28)
- Synthetic Teak Floor
- Seadek® Foam Teak (Grey or Mocca)
- Compass
- Stereo System
- VHF radio
- GPS
- Rod Holders
- Stainless Steel Ski Arch (14-28)
- Cover
- Lateral Tube Ladder
- Chock Set
- Console Cover
- Lifting Harness (Except 24 & Z8)
- 4 Stainless Steel Davit Lifting Points (Z1-Z8)
- Fiberglass Console with Lateral Seat (13-17)
- Color Boat Customization
- Aventor Trim & Accents Design

9 MODELS FROM 12 TO 28 FEET	12 VST	13 VST	14 VST	15 VST	17 VST	19 VST	21 VST	24 VST	28 VST
LENGTH	12' (3.66 M)	13' (3.96 M)	14' (4.27 M)	15' (4.57 M)	17' (5.18 M)	19' (5.79 M)	21'4" (6.50 M)	24' (7.31 M)	27'4" (8.33 M)
BEAM	6'1" (1.86 M)	6'4" (1.94 M)	6'5" (1.96 M)	6'6" (1.99 M)	8'1" (2.46 M)	8'4" (2.53 M)	8'10" (2.70 M)	9'3" (2.82 M)	10'1" (3.07 M)
INSIDE LENGTH	9'2" (2.79 M)	9'9" (2.97 M)	10'10" (3.30 M)	11'6" (3.50 M)	13'1" (3.99 M)	14'11" (4.55 M)	17'3" (5.25 M)	19'3" (5.87 M)	22'11" (6.99 M)
INSIDE BEAM	2'10" (0.86 M)	3'1" (0.94 M)	3'1" (0.94 M)	3'2" (0.97 M)	4'2" (1.27 M)	4'4" (1.32 M)	4'9" (1.44 M)	5'4" (1.64 M)	6'4" (1.93 M)
TUBE DIAMETER	17" (0.43 M)	18" (0.46 M)	19" (0.48 M)	19" (0.48 M)	20" (0.51 M)	22" (0.56 M)	22" (0.56 M)	24" (0.61 M)	24" (0.61 M)
CAPACITY PERSONS	6	7	8	9	12	15	18	20	25
WEIGHT	405 LBS (184 KG)	477 LBS (217 KG)	510 LBS (232 KG)	605 LBS (275 KG)	1104 LBS (502 KG)	1252 LBS (569 KG)	1808 LBS (820 KG)	2213 LBS (1006 KG)	2853 LBS (1297 KG)
RECOMMENDED HP	40	40	50	60	90	115	150	150	250
MAXIMUM HP	50	60	70	75	115	150	225	250	500
SHAFT LENGTH	20" (50.8 CM)	25" (63.5 CM)	25" (63.5 CM)	25" (63.5 CM)	30" (76.2 CM)				

MARES VSX

LIGHTWEIGHT FIBERGLASS CONSOLE TENDERS



MARES 11 VSX



FIBERGLASS SPORT CONSOLE RIB | IDEAL YACHT TENDER | LIGHTWEIGHT YET RUGGED CONSTRUCTION | AMPLE STORAGE

STANDARD FEATURES

- Mechanical Steering System and SS Wheel
- Standard Rigging from Factory
- Stainless Steel Bow Eye
- Bow Locker Seat & Cushion
- Fiberglass Console
- Foldable Console (10,11)
- Plexiglass Windshield
- SS LED Side Navigation Light
- All-Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Upholstered Seating-Spradling*
- Under-Seat Storage Compartments
- 4 Stainless Steel Davit Lifting Points
- Solid Single Rub Rail
- Stainless Steel Tow Rings
- Reinforced Orca (CSM) Fabric Handles on Tubes
- 3-Layer Reinforced Seams
- ORCA (CSM) Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Cupholder
- Removable Lateral Seat (11)
- Bow Locker Seat with Vent and Storage to Fit a 6 GAL Portable Fuel Tank (11)

OPTIONAL FEATURES

- Tube Chaps
- Cover
- Chock Set
- Bimini Top
- Lifting Harness
- Stereo System
- Compass
- GPS
- VHF Radio
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Color Boat Customization
- Hydraulic Steering System
- Synthetic Teak Floor
- Seadek® Foam Teak (Grey or Mocca)




REMOVABLE LATERAL SEAT

3 MODELS • 10, 11 & 12 FEET

10 VSX

11 VSX

12 VSX



	10 VSX	11 VSX	12 VSX
LENGTH	10'6" (3.19 M)	11'4" (3.45 M)	12' (3.66 M)
BEAM	57" (1.72 M)	59" (1.77 M)	6' (1.82 M)
INSIDE LENGTH	77" (2.31 M)	81" (2.47 M)	89" (2.67 M)
INSIDE BEAM	28" (0.81 M)	28" (0.81 M)	29" (0.84 M)
TUBE DIAMETER	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)
CAPACITY PERSONS	4	4	5
WEIGHT	287 LBS (130 KG)	317 LBS (144 KG)	337 LBS (153 KG)
RECOMMENDED HP	25	30	30
MAXIMUM HP	30	40	40
SHAFT LENGTH	15"-20" (38,1 CM - 50,8 CM)	20" (50,8 CM)	20" (50,8 CM)

NAVIGO VS

OPEN FIBERGLASS TENDERS



NAVIGO 12 VS



FULL-FEATURED OPEN TENDER | ATTRACTIVE NON-SKID DIAMOND PATTERN FLOOR | FOUR DAVIT LIFTING POINTS
LARGE BOW LOCKER WITH SEATING | DOUBLE FIBERGLASS HULL | DOUBLE RUB RAIL

STANDARD FEATURES

- Stainless Steel Bow Eye
- Bow Locker Seat with Vent & Storage to Fit a 6 gal Portable Fuel Tank (9-14)
- Under-Deck Channel for Fuel Line with SS Starburst (9-14)
- 4 Stainless Steel Davit Lifting Points
- Removable Rowing Seat (8-10)
- Removable Seat (12)
- Oarlock Base with Oarlocks (8-10)
- Paddles (12-19)
- Reinforced Orca (CSM) Fabric Handles on Tubes
- 820 ORCA (CSM) Coated Fabric (8-10)
- Additional Air Retaining Chamber Under Floor (8-14)
- Solid Single Rub Rail (8-12)
- Solid Double Rub Rail (13-19)
- Stainless Steel Tow Rings (Except 12-19)
- 3 Layer Reinforced Seams
- Hand Pump
- Maintenance Kit
- Owner's Manual

OPTIONAL FEATURES

- Portable Fuel Tank Installed in Bow Locker (9-14)
- Fiberglass Console
- Fiberglass Console with Forward Seat (13-19)
- Fiberglass Console with Lateral Seat (13-17)
- One-Person Jockey Seat
- Two-Person Jockey Seat (12-19)
- Bench Seat with Storage (9-17)
- Leaning Bolster (15-19)
- Mechanical Steering System
- Hydraulic Steering System
- Standard Rigging from the Factory
- SS LED Navigation Light
- All-Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Integrated Fuel Tank (17-19)
- Bow Step with Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Bow Hatch Cushion
- Tube Chaps
- Chock Set
- Color Boat Customization
- Sesdek® Foam Teak (Grey or Mocca)

9 MODELS FROM 8 TO 19 FEET	8 VS	9 VS	10 VS	12 VS	13 VS	14 VS	15 VS	17 VS	19 VS
LENGTH	8'6" (2.60 M)	9'6" (2.90 M)	10'6" (3.19 M)	12' (3.66 M)	13' (3.96 M)	14' (4.27 M)	15' (4.57 M)	17' (5.18 M)	19' (5.79 M)
BEAM	5'4" (1.64 M)	5'7" (1.72 M)	5'7" (1.72 M)	6' (1.82 M)	6'4" (1.94 M)	6'4" (1.94 M)	6'6" (1.99 M)	8'1" (2.46 M)	8'4" (2.53 M)
INSIDE LENGTH	5'10" (1.79 M)	6'9" (2.06 M)	7'7" (2.31 M)	8'9" (2.67 M)	9'9" (2.97 M)	10'10" (3.30 M)	11'6" (3.50 M)	13'1" (4 M)	15'2" (4.62 M)
INSIDE BEAM	2'4" (0.72 M)	2'8" (0.81 M)	2'8" (0.81 M)	2'9" (0.84 M)	3'1" (0.94 M)	3'1" (0.94 M)	3'2" (0.97 M)	4'4" (1.33 M)	4'1" (1.25 M)
TUBE DIAMETER	16" (0.41 M)	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)	18" (0.46 M)	19" (0.48 M)	19" (0.48 M)	20" (0.50 M)	22" (0.56 M)
CAPACITY PERSONS	4	4	5	6	7	8	11	15	15
WEIGHT	125 LBS (57 KG)	152 LBS (69 KG)	169 LBS (77 KG)	202 LBS (92 KG)	293 LBS (133 KG)	348 LBS (158 KG)	484 LBS (220 KG)	772 LBS (350 KG)	1157 LBS (526 KG)
RECOMMENDED HP	8	9.9	15	20	30	40	60	75	115
MAXIMUM HP	10	15	25	30	40	50	75	90	150
SHAFT LENGTH	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)	15"-20" (38.1 CM - 50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	25" (63.5 CM)

VENTUS VL

LIGHTWEIGHT FIBERGLASS TENDERS



VENTUS 9 VL



LIGHTWEIGHT FIBERGLASS TENDER | IDEAL SAILBOAT TENDER | EASILY TOWED AND LIFTED | FULL LENGTH DEEP "V" KEEL

STANDARD FEATURES

- Stainless Steel Bow Eye
- 3 Stainless Steel Davit Lifting Points
- Removable Rowing Seat (8-10)
- Removable Seat (12)
- Garlock Base with Garlocks (Except Model 12)
- Reinforced Orca (CSM) Fabric Handles on Tubes
- 820 ORCA (CSM) Coated Fabric
- Additional Air Retaining Chamber Under the Floor
- Single Rub Rail
- 3-Layer Reinforced Seams
- Non-Skid Rubber Floor Panels
- Hand Pump
- Maintenance Kit
- Owner's Manual

OPTIONAL FEATURES

- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Bow Step With Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Color Boat Customization
- Bow Bench Seat



4 MODELS • 8 TO 12 FEET	8 VL	9 VL	10 VL	12 VL
				
LENGTH	8'6" (2.60 M)	9'6" (2.90 M)	10'6" (3.19 M)	12' (3.66 M)
BEAM	5'6" (1.68 M)	5'7" (1.72 M)	5'7" (1.72 M)	5'10" (1.77 M)
INSIDE LENGTH	5'10" (1.79 M)	6'9" (2.06 M)	7'7" (2.31 M)	8'9" (2.67 M)
INSIDE BEAM	2'4" (0.72 M)	2'8" (0.81 M)	2'8" (0.81 M)	2'9" (0.84 M)
TUBE DIAMETER	16" (0.41 M)	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)
CAPACITY PERSONS	4	4	5	6
WEIGHT	95 LBS (43 KG)	106 LBS (48 KG)	123 LBS (56 KG)	156 LBS (71 KG)
RECOMMENDED HP	8	9.9	15	20
MAXIMUM HP	10	15	25	30
SHAFT LENGTH	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)

ALUMINA ALX

ALUMINUM CONSOLE TENDERS



ALUMINA 15 ALX



ALUMINUM HULL SPORT CONSOLE RIB | LIGHT WEIGHT YET RUGGED CONSTRUCTION REQUIRES LESS HORSEPOWER | DURABLE ENOUGH FOR ROCKY SHORES AND CORAL REEFS

STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free-Advanced Pretreatment & Powder Coating Technology
- Double-Purpose Folding Backrest (13-18)
- Integrated aluminum with rear seat with Splash-Well (9.5-10)
- Mechanical Steering System & Sport Steering Wheel (Except 18 With Hydraulic)
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel/Water Separator & Canister
- Fuel Sending Unit (15-18)
- Portable 6 Gal Fuel Tank Installed In Bow Locker (9.5-14)
- Integrated Fuel Tank (15-18)
- Stainless Steel Gas Springs
- Solid Single Rub Rail (9.5-12)
- Solid Double Rub Rail (13-18)
- Seadek® Foam Teak (Grey Or Mocca)
- Bow Eye
- Davit Lifting Points
- Tow Rings
- Orca (CSM) Coated Fabric
- Reinforced Orca (CSM) Fabric Handles On Tubes
- Fully Upholstered Seating Spradling*
- Fiberglass Console With Grab Rail (9.5-12)
- Fiberglass Console With Windshield, Grab Rail & Forward Seat (13-18)
- Bench Seat With Storage (9.5-10)
- Integrated Aluminum Rear Seat With Splash-Well (11-18)
- Bow Locker with Cushioned Seating
- 3 Stainless Steel Fold Down Cleats (Except 9.5 & 10 With 1)
- Bow Step With Cushion
- Stern Ladder (13-18)
- SS Cupholders
- 12 V DC Socket & USB-C Port
- LED Courtesy Lights (Except 9.5-10)
- Standard Rigging From Factory
- 3 Layer Reinforced Seams
- Rubber Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual

OPTIONAL FEATURES

- Tube Chaps
- Cover
- Chock Set
- Bimini Top
- Lifting Harness
- Synthetic Teak
- Stereo System
- Courtesy Lights (9.5-10)
- Compass
- Gps
- VHF Radio
- Removable Lateral Console Seat (13-16)
- Color Boat Customization
- Aventor Trim & Accents Seat Design

9 MODELS FROM 9.5 TO 18 FEET	9.5 ALX	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX
									
LENGTH	9'6" (2.90 M)	10'6" (3.19 M)	11'6" (3.50 M)	12' (3.66 M)	13' (3.96 M)	14' (4.27 M)	15' (4.57 M)	16' (4.88 M)	18' (5.49 M)
BEAM	5'6" (1.68 M)	5'6" (1.68 M)	5'7" (1.70 M)	6'1" (1.85 M)	6'7" (2 M)	6'7" (2 M)	6'9" (2.06 M)	7' (2.14 M)	7'10" (2.40 M)
INSIDE LENGTH	6'11" (2.11 M)	7'6" (2.30 M)	8'6" (2.60 M)	8'10" (2.70 M)	9'10" (3 M)	10'10" (3.30 M)	11'8" (3.55 M)	13'2" (4.01 M)	14'8" (4.47 M)
INSIDE BEAM	2'6" (0.76 M)	2'8" (0.81 M)	2'8" (0.81 M)	2'11" (0.89 M)	3'3" (0.99 M)	3'3" (0.99 M)	3'4" (1.03 M)	3'6" (1.08 M)	4'3" (1.30 M)
TUBE DIAMETER	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)	18" (0.46 M)	19" (0.48 M)	19" (0.48 M)	20" (0.51 M)	21" (0.53 M)
CAPACITY PERSONS	5	5	5	6	7	8	9	10	12
WEIGHT	258 LBS (117 KG)	278 LBS (126 KG)	300 LBS (136 KG)	337 LBS (153 KG)	452 LBS (205 KG)	472 LBS (214 KG)	604 LBS (274 KG)	657 LBS (298 KG)	957 LBS (434 KG)
RECOMMENDED HP	15	15	20	25	30	40	50	50	90
MAXIMUM HP	25	25	40	40	50	60	70	70	115
SHAFT LENGTH	20" (50.8 CM)	25" (63.5 CM)							

LAMMINA AL

ALUMINUM TENDERS



LAMMINA 10 AL



ALUMINUM HULL OPEN TENDER | LIGHTWEIGHT YET RUGGED CONSTRUCTION | PERFECT FOR LIMITED CAPACITY DAVITS
 IDEAL SAILBOAT TENDER | DURABLE ENOUGH FOR ROCKY SHORES AND CORAL REEFS

STANDARD FEATURES

- Marine Grade Aluminum Hull
- Chrome Free Advanced Pretreatment & Powder Coating Technology
- Single Rub Rail (8-10)
- Solid Single Rub Rail (11-12)
- Solid Double Rub Rail (13-16)
- Bow Eye
- Aluminum Davit Lifting Points
- Removable Rowing Seat (8-10)
- Removable Seat (11-16)
- Carlock Base With Carlocks (8-10)
- Orca (CSM) Coated Fabric
- 820 Orca (CSM) Coated Fabric (8-10)
- Seadek® Eva Foam Non-Skid Floor
- Tow Rings
- 3 Layer Reinforced Seams
- Rubber Keel Protector
- Hand Pump
- Maintenance Kit
- Owner's Manual

OPTIONAL FEATURES

- Bow Locker/Seat With Cushion
- Portable Fuel Tank Installed In Bow Locker (9-16)
- Fiberglass Console
- Fiberglass Console With Forward Seat
- Fiberglass Console With Lateral Seat
- One Person Jockey Seat
- Two Person Jockey Seat
- Bench Seat With Storage
- Bow Step With Stainless Steel Fold Down Cleat
- Lateral Stainless Steel Fold Down Cleat
- Bimini Top
- Cover
- Tube Chaps
- Chock Set
- Mechanical Steering System
- Hydraulic Steering System
- Standard Rigging From Factory
- SS LED Navigation Light
- All Around LED Anchor Light
- Automatic Bilge Pump
- Master Switch
- Fuel / Water Separator & Canister
- Color Boat Customization
- Seadek® Foam Teak

10 MODELS FROM 8 TO 16 FEET	8 AL	9 AL	9.5 AL	10 AL	11 AL	12 AL	13 AL	14 AL	15 AL	16 AL
LENGTH	8'5" (2.56 M)	9'1" (2.76 M)	9'6" (2.90 M)	10'6" (3.19 M)	11'6" (3.50 M)	12' (3.66 M)	13' (3.96 M)	14' (4.27 M)	15' (4.57 M)	16' (4.88 M)
BEAM	4'9" (1.45 M)	4'9" (1.45 M)	5'6" (1.68 M)	5'6" (1.68 M)	5'7" (1.70 M)	6'1" (1.85 M)	6'7" (2.0 M)	6'7" (2.0 M)	6'9" (2.06 M)	7' (2.14 M)
INSIDE LENGTH	5'10" (1.73 M)	6'3" (1.90 M)	6'11" (2.11 M)	7'6" (2.30 M)	8'6" (2.60 M)	8'10" (2.70 M)	9'10" (3 M)	10'10" (3.30 M)	11'8" (3.55 M)	13'2" (4 M)
INSIDE BEAM	2' (0.62 M)	2'2" (0.66 M)	2'6" (0.76 M)	2'8" (0.81 M)	2'8" (0.81 M)	2'11" (0.89 M)	3'3" (0.99 M)	3'3" (0.99 M)	3'4" (1.03 M)	3'6" (1.08 M)
TUBE DIAMETER	15" (0.37 M)	15" (0.37 M)	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)	17" (0.43 M)	18" (0.46 M)	19" (0.48 M)	19" (0.48 M)	20" (0.51 M)
CAPACITY PERSONS	4	4	5	5	6	6	7	8	9	10
WEIGHT	86 LBS (39 KG)	90 LBS (41 KG)	110 LBS (50 KG)	126 LBS (57 KG)	170 LBS (77 KG)	198 LBS (90 KG)	242 LBS (110 KG)	256 LBS (116 KG)	348 LBS (158 KG)	390 LBS (177 KG)
WEIGHT WITH BOW LOCKER	99 LBS (45 KG)	106 LBS (48 KG)	128 LBS (58 KG)	143 LBS (65 KG)	187 LBS (85 KG)	216 LBS (98 KG)	264 LBS (120 KG)	282 LBS (128 KG)	377 LBS (171 KG)	421 LBS (191 KG)
RECOMMENDED HP	4	8	8	10	20	25	30	40	50	50
MAXIMUM HP	6	10	15	20	30	30	40	50	60	70
SHAFT LENGTH	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)	20" (50.8 CM)

LAMMINA UL

ULTRA LIGHT ALUMINUM TENDERS



LAMMINA 7.5 UL



ALUMINUM HULL OPEN TENDER | ULTRA-LIGHT AND SPACIOUS | IDEAL SAILBOAT TENDER | EXCEPTIONALLY REASONABLE PRICING

STANDARD FEATURES

- Marine Grade Aluminum Hulls
- Seadek® Eva Foam Non-Skid Floor
- 820 (8-10) Orca (CSM) Coated Fabric
- Bow Eye
- Aluminum Davit Lifting Points
- Single Rub Rail
- Orca (CSM) Coated Fabric
- Removable Rowing Seat
- Oarlock Base With Oarlocks
- 3 Layer Reinforced Seams
- Hand Pump
- Maintenance Kit
- Owner's Manual

OPTIONAL FEATURES

- Cover
- Tube Chaps
- Chock Set
- Chrome Free - Advanced Pretreatment & Powder Coating Technology
- Color Boat Customization
- Bow Bench Seat



4 MODELS - 7.5 TO 10 FEET	7.5 UL	8 UL	9 UL	10 UL
LENGTH	7'10" (2.39 M)	8'5" (2.56 M)	9'1" (2.76 M)	10' (3.05 M)
BEAM	4'11" (1.50 M)	4'11" (1.50 M)	4'11" (1.50 M)	5'6" (1.68 M)
INSIDE LENGTH	5'5" (1.65 M)	5'10" (1.79 M)	6'3" (1.90 M)	7'2" (2.18 M)
INSIDE BEAM	2'2" (0.66 M)	2'2" (0.66 M)	2'3" (0.70 M)	2'8" (0.81 M)
TUBE DIAMETER	16" (0.41 M)	15" (0.37 M)	15" (0.37 M)	17" (0.43 M)
CAPACITY PERSONS	3	4	4	5
WEIGHT	72 LBS (33 KG)	77 LBS (35 KG)	84 LBS (38 KG)	94 LBS (43 KG)
RECOMMENDED HP	3	4	8	9.9
MAXIMUM HP	4	5	10	15
SHAFT LENGTH	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)	15" (38.1 CM)

AB RIDER

JOCKEY STYLE RIDER



AB RIDER



STANDARD FEATURES


- Stainless Steel Bow Eye
- Under Seat Storage Compartment
- Large Anchor Locker
- 4 Stainless Steel Davit Lifting Points
- Integrated Jockey Seat
- Solid Single Rub Rail
- Fully Upholstered Seating-Spradling®
- Stainless Steel Tow Rings
- 3 Layer Reinforced Seams
- Standard Rigging From Factory
- Orca (CSM) Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Mechanical Steering System And SS Wheel

OPTIONAL FEATURES

- Cover
- Color Boat Customization



LENGTH	10'6" (3.20 M)
BEAM	5'9" (1.76 M)
INSIDE LENGTH	7'9" (2.37 M)
INSIDE BEAM	2'10" (0.86 M)
TUBE DIAMETER	17" (0.43 M)
CAPACITY PERSONS	4
WEIGHT	273 LBS (124 KG)
RECOMMENDED HP	25
MAXIMUM HP	30
SHAFT LENGTH	20" (50.8 CM)



SPECIFICATIONS

	ABJET								NAUTILUS							
	ABJET 290	ABJET 330	ABJET 350	ABJET 380	ABJET 390	ABJET 430 XP	ABJET 460 XP	ABJET ORIEL 400	11 DLX	12 DLX	13 DLX	14 DLX	15 DLX	17 DLX	19 DLX	19 DLX GO
LENGTH																
OVERALL	m	9'9"	10'9"	11'3"	12'0"	12'9"	14'7"	15'	14'9"	17'	17'	17'	18'	17'	19'	19'
	m	2.9	3.3	3.44	3.66	3.9	4.35	4.56	4.47	5.15	5.18	5.18	5.39	5.19	5.79	5.79
INSIDE	m	7'	8'1"	9'	10'2"	10'8"	12'	13'	13'4"	15'	15'	15'	16'10"	15'1"	17'4"	15'4"
	m	2.13	2.45	2.75	3.10	3.25	3.64	3.96	4.06	4.57	4.57	4.57	5.09	4.60	5.17	4.67
BEAM																
OVERALL	m	3'7"	3'8"	3'9"	3'10"	3'11"	4'4"	4'7"	4'9"	5'	5'	5'	5'11"	5'11"	5'11"	5'11"
	m	1.13	1.17	1.18	1.21	1.25	1.34	1.40	1.45	1.52	1.52	1.52	1.61	1.55	1.66	1.55
INSIDE	m	2'7"	2'7"	2'7"	2'7"	2'7"	3'2"	3'4"	3'4"	3'7"	3'7"	3'7"	3'11"	3'11"	3'11"	3'11"
	m	0.84	0.84	0.86	0.89	0.91	0.99	1.01	1.10	1.10	1.10	1.10	1.21	1.15	1.21	1.15
AREA																
INTERNAL AREA	m ²	19.05	22.15	27.31	29.70	31.86	38.42	43.65	48	52.59	53.83	55.65	59.39	56.54	68.13	67.86
	m ²	1.77	2.06	2.54	2.76	2.96	3.57	4	4.46	4.63	4.79	5.10	5.40	5.40	6.36	6.30
MAX TUBE DIAMETER																
	m	1.81	1.81	1.81	1.81	1.81	2.43	2.46	2.46	2.46	2.46	2.46	2.46	2.46	2.46	2.46
	m	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41	0.41
NUMBER OF CHAMBERS																
		4	4	4	4	4	5	5	5	5	5	5	5	5	5	5
CAPACITY																
PERSONS		4	5	5	6	7	7	8	7	4	5	5	6	5	10	12
PAYLOAD	kg	940	900	1124	1278	1290	1388	1710	1411	1258	1301	1390	2010	2222	2645	3025
	kg	426	450	510	580	585	590	776	540	579	591	725	912	1008	1200	1460
WEIGHT																
	kg	483	728	761	882	959	1102	1257	1841	456	515	612	760	766	1020	1020
	kg	310	330	345	400	425	500	570	805	207	224	278	332	348	568	765
ENGINE																
RECOMMENDED	hp									30	40	40	50	60	90	115
	hp									22.4	29.8	29.8	37.3	44.8	67.1	85.8
MAX	hp	60	60	60	120	120	120	120	110	40	50	60	70	75	115	150
	hp	44.0	44.0	44.0	107.0	107.0	107.0	107.0	80.0	29.8	37.3	44.8	52.3	59.8	85.8	111.9
SHAFT LENGTH																
	cm									30	30	30	30	30	35	35
	cm									50.8	50.8	50.8	50.8	50.8	63.5	63.5
MAX HEIGHT	kg									242	242	255	257	330	444	491
	kg									110	110	116	117	150	220	223
BUILT-IN TANKS																
GAS	gal	10	10	11	16	11	16	26	72	12	12	14	20	24	33	47
	l	38	38	42	61	42	61	98	19	45	45	53	76	91	125	176
WATER	gal															
	l															
STOWED DIMENSIONS																
LENGTHXWIDTHXHEIGHT	inch	120x50x30	136x50x40	120x52x44	138x61x41	161x63x39	179x68x43	192x71x45	183x68x43	128x47x37	132x51x38	146x50x37	152x59x43	169x59x43	192x56x47	216x56x47
	cm	355x147x80	345x143x101	355x132x86	401x155x104	408x160x99	455x174x110	475x188x115	465x176x106	328x120x95	335x130x95	375x127x95	408x150x110	430x150x110	490x137x130	550x137x130
RIBCISION CATEGORY																
		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C

* 20" SHAFT ON TWIN ENGINES
 ** 25" SHAFT ON TWIN ENGINES
 *** AVAILABLE FOR SHORT AND LONG SHAFT ENGINES
 EPA COMPLIANT FUEL TANKS, 7% REDUCTION APPROXIMATELY



OCEANUS								NAVIGO									
12 VST	13 VST	14 VST	15 VST	17 VST	19 VST	21 VST	24 VST	28 VST	8 VS	9 VS	10 VS	12 VS	13 VS	14 VS	15 VS	17 VS	19 VS
12	13	14	15	17	19	21	24	27	8'0"	9'0"	10'0"	12	13	14	15	17	19
3.64	3.96	4.27	4.57	5.18	5.79	6.58	7.31	8.33	2.66	3.00	3.39	3.86	3.96	4.27	4.57	5.18	5.79
9'2"	9'9"	10'10"	11'4"	12'1"	14'1"	17'2"	19'3"	22'11"	9'10"	9'9"	7'7"	8'9"	9'9"	10'10"	11'4"	12'1"	14'1"
2.79	2.87	3.30	3.50	3.99	4.55	5.55	5.87	6.96	1.79	2.26	2.31	2.67	2.67	3.30	3.58	4.30	4.62
8'1"	8'4"	8'5"	8'4"	8'1"	8'4"	8'10"	8'3"	8'11"	3'4"	2'7"	3'7"	5	6'4"	6'4"	6'4"	8'1"	8'4"
1.86	1.89	1.86	1.86	1.86	2.04	2.03	2.29	2.82	1.44	1.70	1.70	1.82	1.84	1.84	1.86	2.04	2.03
2'10"	2'11"	2'11"	2'11"	2'11"	2'11"	2'11"	2'11"	2'11"	2'4"	2'4"	2'4"	2'4"	2'4"	2'4"	2'4"	2'4"	2'4"
0.86	0.84	0.84	0.87	0.87	1.02	1.02	1.14	1.44	0.75	0.81	0.81	0.84	0.84	0.84	0.87	1.02	1.02
25.83	30.65	33.59	36.54	38.13	44.65	51.38	100.60	145.21	13.87	17.96	20.14	24.14	26.65	33.59	36.54	47.26	62.16
2.40	2.79	3.10	3.40	3.40	4.40	6.01	7.58	9.43	1.29	1.67	1.87	2.24	2.79	3.10	3.40	5.32	7.19
17	18	19	19	20	22	27	34	41	14	17	17	17	18	19	19	20	22
0.43	0.46	0.48	0.48	0.51	0.56	0.56	0.61	0.61	0.43	0.43	0.43	0.43	0.46	0.48	0.48	0.51	0.56
3	3	3	3	3	3	4	4	4	3	3	3	3	3	3	3	3	3
6	7	8	9	12	15	18	20	25	4	4	5	6	7	8	11	15	15
1699	1759	2184	2277	2940	3902	3888	4526	5855	1087	1388	1470	1905	1942	2347	2537	2865	3999
771	798	991	1033	1338	1778	1794	2050	2584	493	616	667	876	881	1065	1160	1346	1814
465	477	510	655	1044	1332	1888	2213	2833	155	192	199	262	290	348	444	572	1157
184	217	232	275	392	569	828	1008	1297	57	69	77	92	103	128	150	220	350
40	40	50	60	90	115	150	190	250	8	9.9	15	20	30	40	60	75	115
25.8	29.8	37.3	44.8	67.1	85.8	111.9	111.9	146.5	6.0	7.4	11.2	14.9	22.4	29.8	44.8	56.8	85.8
30	40	50	75	75	115	150	225.0	290	30	15	25	30	40	50	75	100	150
37.3	44.8	52.3	59.8	85.8	111.9	146.5	162.9	218.5	7.5	11.2	15.7	22.4	29.8	37.3	56.8	67.1	111.9
30	30	30	30	30	35	35	35	35	15	15	15	15	15	15	15	15	15
50.8	50.8	50.8	50.8	50.8	63.5	63.5	76.2	76.2	38.1	38.1	38.1	38.1	38.1	38.1	38.1	38.1	38.1
242	255	257	330	444	491	662	814	1241	116	121	151	183	242	253	330	365	515
110	116	117	150	220	223	310	370	564	48	58	60	83	110	115	150	166	224
14	14	14	15	20	20	40	48	68	190	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
52	53	55	55	114	63	127	127	201	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	18	17	17	17	17	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	38	42	45	45	45	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
152x9x28	146x5x26	158x9x28	169x9x29	200x7x46	219x7x32	246x8x55	276x7x55	325x13x47	62x43x18	106x43x18	118x43x18	156x45x18	144x49x25	156x49x28	169x49x43	192x54x47	228x18x42
355x125x28	376x136x26	395x125x26	430x125x23	508x188x117	569x160x88	625x174x93	700x220x86	820x288x120	225x110x45	276x110x45	300x110x45	365x115x45	365x125x45				

SPECIFICATIONS

	MARES			VENTUS				ALUMINA								AB RIDER		
	10 VIX	11 VIX	12 VIX	8 VL	9 VL	10 VL	12 VL	8.5 ALX	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX	AB RIDER	
LENGTH																		
OVERALL	ft/m	10'4" / 3.19	11'4" / 3.46	12' / 3.66	8'6" / 2.60	9'6" / 2.90	10'6" / 3.19	12' / 3.66	8'6" / 2.60	10'4" / 3.19	11'6" / 3.50	12' / 3.66	13' / 3.96	14' / 4.27	15' / 4.57	16' / 4.88	18' / 5.49	18'6" / 5.66
INSE	ft/m	7'7" / 2.31	8'1" / 2.47	8'9" / 2.67	5'10" / 1.79	6'9" / 2.06	7'7" / 2.31	8'9" / 2.67	6'11" / 1.87	7'6" / 2.30	8'6" / 2.60	8'10" / 2.70	9'10" / 3.00	10'10" / 3.30	11'8" / 3.55	12'2" / 3.66	14'6" / 4.41	7'9" / 2.37
BEAM																		
OVERALL	ft/m	5'7" / 1.73	5'9" / 1.77	6' / 1.83	5'6" / 1.68	5'7" / 1.73	5'10" / 1.79	5'6" / 1.68	5'6" / 1.68	5'7" / 1.73	6'1" / 1.83	6'7" / 2.01	6'9" / 2.06	7' / 2.13	7' / 2.13	7'10" / 2.13	5'9" / 1.73	
AREA																		
INTERNAL AREA	sq ft / sq m	20.14 / 1.87	21.54 / 2.00	24.14 / 2.24	13.87 / 1.29	17.96 / 1.67	20.14 / 1.87	24.14 / 2.24	17.26 / 1.60	20.05 / 1.86	22.47 / 2.11	25.87 / 2.40	31.87 / 2.97	35.17 / 3.27	39.26 / 3.66	46.62 / 4.33	62.53 / 5.81	21.94 / 2.04
MAX TUBE DIAMETER																		
	ft/m	1.37 / 0.43	1.37 / 0.43	1.37 / 0.43	1.0' / 0.43	1.0' / 0.43	1.0' / 0.43	1.0' / 0.43	1.0' / 0.43	1.0' / 0.43	1.0' / 0.43	1.0' / 0.43	1.0' / 0.43	1.0' / 0.43	1.0' / 0.43	1.0' / 0.43	1.0' / 0.43	1.0' / 0.43
NUMBER OF CHAMBERS																		
		3	3	3	3H1	3H1	3H1	3H1	3	3	3	3	4	5	5	5	5	3
CAPACITY																		
PERSONS		4	4	5	4	4	5	6	5	5	5	6	7	8	9	10	12	4
PAVLOAD	kg / lbs	1400 / 309	1876 / 415	1885 / 415	1115 / 246	1390 / 307	1314 / 290	1605 / 354	1333 / 293	1441 / 317	1576 / 347	1900 / 419	1987 / 438	2268 / 500	2357 / 519	2599 / 574	3053 / 673	1344 / 296
WEIGHT																		
	kg / lbs	137 / 302	144 / 317	153 / 337	95 / 210	106 / 233	102 / 225	106 / 233	108 / 238	126 / 278	136 / 299	137 / 302	151 / 333	162 / 357	176 / 388	192 / 424	227 / 501	167 / 368
WITH BOW LOCKER																		
	kg / lbs	130 / 287	144 / 317	153 / 337	43 / 95	48 / 106	56 / 123	71 / 156	117 / 258	136 / 299	133 / 293	151 / 333	162 / 357	176 / 388	192 / 424	227 / 501	167 / 368	154 / 340
ENGINE																		
RECOMMENDED	hp / kW	35 / 26	30 / 22	20 / 15	8 / 6	9.9 / 7.2	13 / 9.6	20 / 15	15 / 11	15 / 11	20 / 15	25 / 18	30 / 22	40 / 29	50 / 37	60 / 44	80 / 59	35 / 26
MAX																		
	hp / kW	30 / 22	40 / 29	40 / 29	10 / 7.5	15 / 11	25 / 18	30 / 22	35 / 26	40 / 29	40 / 29	40 / 29	50 / 37	60 / 44	70 / 51	110 / 81	110 / 81	110 / 81
SHAFT LENGTH																		
	cm / in	38.1 / 15.0	50.8 / 20.0	50.8 / 20.0	38.1 / 15.0	38.1 / 15.0	38.1 / 15.0	38.1 / 15.0	38.1 / 15.0	38.1 / 15.0	38.1 / 15.0	38.1 / 15.0	38.1 / 15.0	38.1 / 15.0	38.1 / 15.0	38.1 / 15.0	38.1 / 15.0	38.1 / 15.0
MAX WEIGHT																		
	kg / lbs	176 / 388	200 / 441	200 / 441	109 / 240	121 / 267	121 / 267	121 / 267	121 / 267	121 / 267	121 / 267	121 / 267	121 / 267	121 / 267	121 / 267	121 / 267	121 / 267	121 / 267
DRIFT TANKS																		
GAS	gal / l	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
WATER	gal / l	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
STOWED DIMENSIONS																		
LENGTH X WIDTH X HEIGHT	inch / cm	118x40x18 / 300x101x46	125x40x18 / 318x101x46	136x45x18 / 345x114x46	90x40x18 / 229x101x46	104x40x18 / 265x101x46	118x40x18 / 300x101x46	136x45x18 / 345x114x46	105x46x19 / 267x116x49	118x46x19 / 300x116x49	122x46x19 / 311x116x49	132x46x19 / 335x116x49	144x46x19 / 366x116x49	158x46x19 / 401x116x49	174x46x19 / 441x116x49	192x46x19 / 488x116x49	224x46x19 / 569x116x49	125x40x17 / 318x101x43
IBC DESIGN CATEGORY																		
		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C

10 YEAR WARRANTY
 EPA COMPLIANT FUEL TANKS, 7% REDUCTION APPROXIMATELY.
 EVERY AIR INFLATABLE BOAT IS BACKED BY A 10-YEAR LIMITED WARRANTY.
 SEE YOUR DEALER FOR DETAILS.

THE USABLE CAPACITY OF THE FUEL TANK MAY BE LESS THAN THE TANK'S LISTED CAPACITY

LAMMINA AL										LAMMINA UL					
8 AL	9 AL	9.5 AL	10 AL	11 AL	12 AL	13 AL	14 AL	15 AL	16 AL	7.5 UL	8 UL	9 UL	10 UL		
8'2"	9'1"	9'6"	10'0"	11'0"	12'	13'	14'	15'	16'	7'10"	8'0"	9'1"	10'		
256	276	290	319	350	386	427	468	509	549	427	488	549	609		
5'10"	6'2"	6'11"	7'4"	8'4"	8'10"	9'10"	10'10"	11'8"	12'2"	5'9"	5'10"	6'3"	7'2"		
1.79	1.90	2.11	2.30	2.60	2.70	3.00	3.30	3.55	4.00	1.65	1.79	1.90	2.18		
4'6"	4'9"	5'0"	5'6"	6'7"	6'11"	6'7"	6'7"	6'9"	7'	4'11"	4'11"	4'11"	5'0"		
1.46	1.45	1.60	1.68	1.70	1.85	2.00	2.08	2.20	2.14	1.50	1.50	1.50	1.60		
2'	2'2"	2'6"	2'8"	2'8"	2'11"	2'8"	2'8"	2'8"	2'8"	2'2"	2'2"	2'2"	2'6"		
0.62	0.64	0.76	0.81	0.91	0.99	1.09	1.09	1.20	1.08	0.66	0.66	0.70	0.81		
11.95	13.50	17.26	20.05	22.67	25.87	31.87	35.17	39.26	46.62	11.72	12.72	14.32	19.91		
1.11	1.25	1.60	1.86	2.11	2.40	2.97	3.27	3.66	4.33	1.09	1.18	1.33	1.87		
1.07	1.07	1.07	1.07	1.07	1.07	1.07	1.07	1.07	1.07	1.07	1.07	1.07	1.07		
0.37	0.37	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.43	0.37	0.37	0.37	0.43		
3	3	3	3	3	3	3	3	4	5	2	3	2	3		
4	4	5	5	6	6	7	8	9	10	3	4	4	5		
1042	989	1404	1519	1644	1602	2002	2002	2002	2002	815	802	1056	1300		
472	468	537	569	595	582	720	720	720	720	250	250	470	580		
										72	77	84	94		
										33	35	38	43		
96	106	128	143	167	176	204	202	202	202	377	421	470	580		
42	48	58	65	85	88	120	120	120	120	171	191	210	250		
4	8	8	10	20	25	30	41	50	60	23	4	8	9.9		
3.8	4.0	4.0	7.6	14.0	18.0	22.4	29.8	37.3	44.8	12.2	2.0	4.0	7.4		
6	10	15	20	30	35	40	50	60	70	4	5	10	15		
4.5	7.5	11.2	14.9	22.4	22.4	29.8	37.3	44.8	52.2	2.9	3.8	7.5	11.2		
15	15	15	15	20	20	20	20	20	20	15	15	15	15		
38.1	38.1	38.1	38.1	38.1	38.1	38.1	38.1	38.1	38.1	38.1	38.1	38.1	38.1		
62	106	121	132	162	162	183	183	183	183	62	62	121	121		
38	48	55	60	80	83	110	110	110	110	28	28	35	35		
N/A															
N/A															
N/A															
N/A															
95x46x19	96x46x19	105x46x19	118x46x19	132x46x19	144x46x19	158x46x19	174x46x19	192x46x19	224x46x19	125x40x17	136x45x18	150x46x19	174x46x19		
221x113x47	245x113x47	266x113x47	302x113x47	336x113x47	356x113x47	405x113x47	425x113x47	463x113x47	546x113x47	318x101x43	345x114x46	381x116x49	465x116x49		
C	C	C	C	C	C	C	C	C	C	C	C	C	C		

*THIS MODEL IS MANUFACTURED UNDER THE SAME PRINCIPLES USED IN THE PRODUCTION OF BOATS CERTIFIED ACCORDING TO ISO STANDARDS.
 PERSONS LOAD CAPACITY WILL VARY WHEN BOATS IS RIGGED WITH NON STANDARD ACCESSORIES. THE MAXIMUM PAVLOAD & PERSON CAPACITY HAS BEEN CALCULATED ACCORDING TO ISO AND ABYC STANDARDS. OPERATING AT OTHER MAXIMUM CAPACITIES IS ONLY ADVISED IN CALM WATER AND AT REDUCED SPEEDS. ALL DIMENSIONS IN ACCORDANCE WITH ISO 118 AND ISO 8664. APPROXIMATE HEIGHT HAS A TOLERANCE OF +/- 3% AND INCLUDES ALL STANDARD ACCESSORIES EXCEPT ON MODELS VIX, VL & AL WHICH IS FOR BARE BOAT ONLY. ADD APPROXIMATELY 45 LBS TO CONSOLE BOATS FOR ACCESSORIES LIKE BATTERY, FUEL, WATER TANK, BLUE PUMP, STEERING SYSTEM & THE ETC. THOUGH, ALL DIMENSIONS ARE +/- 3%. SOME MODELS SHOWN MAY FEATURE NON STANDARD EQUIPMENT. SEE STANDARD AND OPTIONAL EQUIPMENT LISTINGS FOR FULL DETAILS.

THE PHOTOGRAPHS IN THIS BROCHURE WERE TAKEN UNDER CONTROLLED CONDITIONS, USING PROFESSIONAL OPERATORS. YOU SHOULD NEVER ATTEMPT ANY SPEEDS OR MANEUVERS WHICH ARE BEYOND YOUR CAPABILITIES, NOR WHICH ARE POTENTIALLY HAZARDOUS. WE STRONGLY SUGGEST USING RECOMMENDED HP/ON THE BOAT. YOU SHOULD CONSULT YOUR LOCAL DEALER REGARDING SAFETY AND WEIGHT ISSUES BEFORE PUTTING MAXIMUM HP/ON YOUR BOAT. SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALTHOUGH ALL DETAILS SHOWN ARE ACCURATE AT THE TIME OF GOING TO PRESS, FOLLOWING A PROGRAM OF CONTINUOUS IMPROVEMENT, AB RESERVES THE RIGHT TO DELETE OR MODIFY ANY OF THE PRODUCTS IN THE BROCHURE WITHOUT NOTICE.

FEATURES

STANDARD FEATURES
OPTIONAL FEATURES

	NAUTILUS									OCEANUS								
	11 DLX	12 DLX	13 DLX	14 DLX	15 DLX	17 DLX Standard	19 DLX Standard	19 DLX HD Standard	12 VST	13 VST	14 VST	15 VST	17 VST	19 VST	21 VST Standard	24 VST Standard	28 VST**	
CUP HOLDERS																		
STANDARD IN-HOUSE ELECTRICAL WIRING																		
INTEGRATED REAR SEAT WITH STORAGE																		
BENCH SEAT WITH STORAGE																		
12 VDC SOCKET & USB - C POWER																		
BOW EYE																		
BOW HATCH CUSHION																		
BOW RAILS - STAINLESS STEEL																		
BOW SEAT WITH STORAGE																		
BOW LOCKER TO FIT A 6 GAL. PORTABLE FUEL TANK																		
BOW SEATING W/UPHOLSTERED BACK SUPPORT																		
BOW STEP - W/UPHOLSTERED STEEL FOLD-DOWN CLEAR																		
BOW STEP W/UPHOLSTERED SEAT FOLD-DOWN CLEAR																		
BOWSEIDER SEATING STYLE																		
LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
CONSOLE - W/US GRAB HANDLES																		
CONSOLE WITH US GRAB RAIL & WINDSHIELD																		
CONSOLE WITH TWO SEAT WINDSHIELDS & US GRAB RAIL																		
CONSOLE W/ WINDSHIELD & US GRAB RAIL W/OUT TWO SEAT																		
CONSOLE WITH TWO SEAT WINDSHIELDS & US GRAB RAIL																		
COOLER STORAGE WITH DRINK BULFINS																		
DAWY LIFTING RINGS	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	
FRESH WATER TANK W/ SHOWER SYSTEM																		
INTEGRATED ALUMINUM FUEL TANK																		
GRAB HANDLES ON TUBE - STAINLESS STEEL																		
HAND PUMP/REPAIR KIT																		
HELM SEAT - STAINLESS STEEL																		
JOCKEY CONSOLE (2 PERSON)																		
LEANING SOLISTERS																		
COURTESY LIGHTS																		
LED NAVIGATION & LED ANCHOR LIGHTS																		
SEASIDE IVY FOAM NON-SKID FLOOR																		
SEASIDE IVY FOAM TEAK (GREY OR BROWN)	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
SYNTHETIC TEAK	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
NON-SKID DECK - DIAMOND SHAPE	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
SEA SPRINGS																		
CARS & CARLOCKS																		
PADDLES																		
SEAT (REMOVABLE)																		
SUNSHOWERHEAD																		
TYE DOWN EYES																		
TOWING RINGS - BOW																		
TOWING RINGS - STERN	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
TRANSOM LADDER																		
T-POD																		
TUBE CHAIRS																		
HYDRAULIC STEERING SYSTEM	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
MECHANICAL STEERING SYSTEM																		
HEIGHT ADJUSTABLE STEERING WHEEL																		
FULLY UPHOLSTERED SEATING SPRAWLING																		

FEATURES

STANDARD FEATURES
OPTIONAL FEATURES

	MARES				NAVIGO										VENTUS			
	10 VIX	11 VIX	12 VIX	8 VS	9 VS	10 VS	12 VS	13 VS	14 VS	15 VS	17 VS	19 VS	8 VL	9 VL	10 VL	12 VL		
CUP HOLDERS																		
STANDARD IN-HOUSE ELECTRICAL WIRING																		
INTEGRATED REAR SEAT WITH STORAGE																		
BENCH SEAT WITH STORAGE																		
12 VDC SOCKET & USB - C POWER																		
BOW EYE																		
BOW HATCH CUSHION																		
BOW RAILS - STAINLESS STEEL																		
BOW SEAT WITH STORAGE																		
BOW LOCKER TO FIT A 6 GAL. PORTABLE FUEL TANK																		
BOW SEATING W/UPHOLSTERED BACK SUPPORT																		
BOW STEP - W/UPHOLSTERED STEEL FOLD-DOWN CLEAR																		
BOW STEP W/UPHOLSTERED SEAT FOLD-DOWN CLEAR																		
BOWSEIDER SEATING STYLE																		
LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
CONSOLE - W/US GRAB HANDLES																		
CONSOLE WITH US GRAB RAIL & WINDSHIELD																		
CONSOLE WITH TWO SEAT WINDSHIELDS & US GRAB RAIL																		
CONSOLE W/ WINDSHIELD & US GRAB RAIL W/OUT TWO SEAT																		
CONSOLE WITH TWO SEAT WINDSHIELDS & US GRAB RAIL																		
COOLER STORAGE WITH DRINK BULFINS																		
DAWY LIFTING RINGS	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
FRESH WATER TANK W/ SHOWER SYSTEM																		
INTEGRATED ALUMINUM FUEL TANK																		
GRAB HANDLES ON TUBE - STAINLESS STEEL																		
HAND PUMP/REPAIR KIT																		
HELM SEAT - STAINLESS STEEL																		
JOCKEY CONSOLE (2 PERSON)																		
LEANING SOLISTERS																		
COURTESY LIGHTS																		
LED NAVIGATION & LED ANCHOR LIGHTS																		
SEASIDE IVY FOAM NON-SKID FLOOR																		
SEASIDE IVY FOAM TEAK (GREY OR BROWN)	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
SYNTHETIC TEAK	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
NON-SKID DECK - DIAMOND SHAPE	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
SEA SPRINGS																		
CARS & CARLOCKS																		
PADDLES																		
SEAT (REMOVABLE)																		
SUNSHOWERHEAD																		
TYE DOWN EYES																		
TOWING RINGS - BOW																		
TOWING RINGS - STERN	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
TRANSOM LADDER																		
T-POD																		
TUBE CHAIRS																		
HYDRAULIC STEERING SYSTEM	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
MECHANICAL STEERING SYSTEM																		
HEIGHT ADJUSTABLE STEERING WHEEL																		
FULLY UPHOLSTERED SEATING SPRAWLING																		



EVERY AB INFLATABLES BOAT IS BACKED BY A 10-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



FOR ADDITIONAL INFORMATION AND LISTING OF WORLDWIDE DEALERS VISIT US AT ABINFLATABLES.COM

FEATURES

STANDARD FEATURES
OPTIONAL FEATURES

	ALUMINA									
	9.5 ALX	10 ALX	11 ALX	12 ALX	13 ALX	14 ALX	15 ALX	16 ALX	18 ALX	
TOP HOLDERS										
STANDARD IN-HOUSE ELECTRICAL WIRING										
INTEGRATED REAR SEAT WITH STORAGE										
BENCH SEAT WITH STORAGE										
TV HOOK, COCKEY & USB - C PORT										
BOW EYE										
BOW HATCH CUSHION										
BOW RAILS STAINLESS STEEL										
BOW SEAT WITH STORAGE										
BOW LOCKER TO FIT A 6 GAL. PORTABLE FUEL TANK										
BOW SEATING W/UPHOLSTERED BACK SUPPORT										
BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAR										
BOW STEP W/CUSHION & SS FOLD DOWN CLEAR										
BOWIDER SEATING STYLE										
LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)										
CONSOLE - W/ISS GRAB HANDLE										
CONSOLE WITH SS GRAB RAIL & WINDSHIELD										
CONSOLE WITH FWD SEAT, WINDSHIELD & SS GRAB RAIL										
CONSOLE W/ WINDSHIELD & SS GRAB RAIL, W/OUT FWD SEAT										
CONSOLE W/ FWD & LAY SEAT, WINDSHIELD & SS GRAB RAIL										
COOLER STORAGE WITH DRINK (BUCKET)										
DAVT LIFTING RINGS										
FRESH WATER TANK W/HISCHMER SYSTEM										
INTEGRATED ALUMINUM FUEL TANK										
GRAB HANDLES ON TUBE - STAINLESS STEEL										
HAND PUMP/REPAIR KIT										
HELM SEAT - STAINLESS STEEL										
JOCKEY CONSOLE (2 PERSON)										
LEANING SOLISTER										
COURTESY LIGHTS										
LED NAVIGATION & LED ANCHOR LIGHTS										
SHADEM PA FLOOR NON SKID FLOOR										
SEACKIP FOAM TEAK (GREY OR BROWN)										
SYNTHETIC TEAK										
NON SKID DECK - DIAMOND SHAPE										
LINE SPRINGS										
DRYS & CHARLOCKS										
PADDLES										
SEAT (REMOVABLE)										
SHADEM PA REB										
TE DOWN EYES										
TOWING RINGS - BOW										
TOWING RINGS - STERN										
TOWING LADDER										
TIP										
TUBE CHAPS										
HYDRAULIC STEERING SYSTEM										
MECHANICAL STEERING SYSTEM										
HEIGHT ADJUSTABLE STEERING WHEEL										
FULLY UPHOLSTERED SEATING SPRINGING										



EVERY AB INFLATABLES BOAT IS BACKED BY A 10-YEAR LIMITED WARRANTY. SEE YOUR DEALER FOR DETAILS.



FEATURES

STANDARD FEATURES
OPTIONAL FEATURES

	LAMMINA AL										LAMMINA UL			
	8 AL	9 AL	9.5 AL	10 AL	11 AL	12 AL	13 AL	14 AL	15 AL	16 AL	7.5 UL	8 UL	9 UL	10 UL
TOP HOLDERS														
STANDARD IN-HOUSE ELECTRICAL WIRING														
INTEGRATED REAR SEAT WITH STORAGE														
BENCH SEAT WITH STORAGE														
TV HOOK, COCKEY & USB - C PORT														
BOW EYE														
BOW HATCH CUSHION														
BOW RAILS STAINLESS STEEL														
BOW SEAT WITH STORAGE														
BOW LOCKER TO FIT A 6 GAL. PORTABLE FUEL TANK														
BOW SEATING W/UPHOLSTERED BACK SUPPORT														
BOW STEP W/STAINLESS STEEL FOLD DOWN CLEAR														
BOW STEP W/CUSHION & SS FOLD DOWN CLEAR														
BOWIDER SEATING STYLE														
LATERAL STAINLESS STEEL CLEATS (FOLD DOWN)														
CONSOLE - W/ISS GRAB HANDLE														
CONSOLE WITH SS GRAB RAIL & WINDSHIELD														
CONSOLE WITH FWD SEAT, WINDSHIELD & SS GRAB RAIL														
CONSOLE W/ WINDSHIELD & SS GRAB RAIL, W/OUT FWD SEAT														
CONSOLE W/ FWD & LAY SEAT, WINDSHIELD & SS GRAB RAIL														
COOLER STORAGE WITH DRINK (BUCKET)														
DAVT LIFTING RINGS														
FRESH WATER TANK W/HISCHMER SYSTEM														
INTEGRATED ALUMINUM FUEL TANK														
GRAB HANDLES ON TUBE - STAINLESS STEEL														
HAND PUMP/REPAIR KIT														
HELM SEAT - STAINLESS STEEL														
JOCKEY CONSOLE (2 PERSON)														
LEANING SOLISTER														
COURTESY LIGHTS														
LED NAVIGATION & LED ANCHOR LIGHTS														
SHADEM PA FLOOR NON SKID FLOOR														
SEACKIP FOAM TEAK (GREY OR BROWN)														
SYNTHETIC TEAK														
NON SKID DECK - DIAMOND SHAPE														
LINE SPRINGS														
DRYS & CHARLOCKS														
PADDLES														
SEAT (REMOVABLE)														
SHADEM PA REB														
TE DOWN EYES														
TOWING RINGS - BOW														
TOWING RINGS - STERN														
TOWING LADDER														
TIP														
TUBE CHAPS														
HYDRAULIC STEERING SYSTEM														
MECHANICAL STEERING SYSTEM														
HEIGHT ADJUSTABLE STEERING WHEEL														
FULLY UPHOLSTERED SEATING SPRINGING														

FOR ADDITIONAL INFORMATION AND LISTING OF WORLDWIDE DEALERS VISIT US AT ABINFLATABLES.COM

FEATURES

STANDARD FEATURES

OPTIONAL FEATURES

	ABJET																
	ABJET 290 S	ABJET 320 S	ABJET 360 S	ABJET 390 SP	ABJET 390 XP	ABJET 430 XP	ABJET 460 XP	ABJET 460 DIESEL		ABJET 290	ABJET 320	ABJET 360	ABJET 390	ABJET 390	ABJET 430 XP	ABJET 460 XP	ABJET 460 DIESEL
INTEGRATED MARINE GRADE ALUMINUM FUEL TANK																	
DIAMOND NON-SKID DECK																	
REAR SEAT WITH AMPLE STORAGE																	
DUAL PLEAT SEAT																	
DUAL SEAT SEAT (UP TO 4 PEOPLE)																	
FELLY UP/ROLSTERED SEATING SPRADLING																	
CONSOLE WITH FORWARD SEAT																	
CONSOLE WITH FORWARD SEAT AND STORAGE																	
INTEGRATED ALUMINUM RETRACTABLE ANCHORS																	
INTEGRATED BOW LOCKER																	
REMOVABLE LATERAL SEAT																	
EASY PORT & STARBORD ACCESS																	
STAINLESS STEEL PORT CHANGARD HAND RAILS																	
INTEGRATED STAINLESS STEEL STEERN RAILS																	
AMPLE ENGINE ACCESS																	
STAINLESS STEEL BOW VIE																	
FIBERGLASS BOW STEP W/COUSHON & IS FOLDABLE CLEAT																	
FIBERGLASS BOW STEP & IS FOLDABLE CLEAT																	
2 STEIN STAINLESS STEEL FOLDABLE CLEATS																	
STAINLESS STEEL SWIFT LIFTING POINTS																	
STAINLESS STEEL SWI EYE & STEERN HAND RAIL																	
IS REMOVABLE SWI POLE & STEERN HAND RAIL																	
BATTERY BOX																	
RECESSED COP HALLWAY																	
WATER TIGHT ENGINE COMPARTMENT SEAL																	
BOARDING POLE & SOCKETS (PORT & STARBORD)																	
BUILT IN COOLER / STORAGE WITH DRAIN																	
OSCAR (COM) FABRIC																	
NON-CORROSIVE PUSH-PUSH INFLATION VALVES																	
SINGLE SOLID RUB RAIL																	
DOUBLE SOLID RUB RAIL																	
REMOVABLE EXTERNAL SEAM																	
OSCAR (COM) FABRIC HANDLE ON TUBES																	
SELF-BAILING DECK SYSTEM WITH NON-RETURN VALVES																	
STAINLESS STEEL DRAIN PLUGS																	
AUTOMATIC FIRE EXTINGUISHER																	
SAFETY LANYARD SWITCH																	
AUTOMATIC 500 BILGE PUMP																	
AUTOMATIC 750 BILGE PUMP																	
REMOVABLE POLE NAVIGATION LIGHT																	
STAINLESS STEEL LEE NAVIGATION LIGHT																	
REMOVABLE POLE LED ANCHOR LIGHT																	
POWER REDUCTION KEY																	
BATTERY SWITCH																	
MAINTENANCE FREE BATTERY																	
ENGINE COMPARTMENT IN-LINE BLOWER																	
SPORT STEERING WHEEL																	
MECHANICAL STEERING SYSTEM																	
HYDRAULIC STEERING SYSTEM																	
STYLISH ADJUSTABLE STEERING WHEEL																	
COMPLETE TWINNING & HEAT-SEALING SEAL TERMINALS																	



10 YEAR WARRANTY
 EVERY AB INFLATABLE BOAT IS BACKED BY A 10-YEAR LIMITED WARRANTY.
 SEE YOUR DEALER FOR DETAILS.



FOR ADDITIONAL INFORMATION AND LISTING OF WORLDWIDE DEALERS VISIT US AT ABINFLATABLES.COM